

HAND HELD SAW BLADE SOLUTIONS



With decades of experience in design and manufacturing, Toolgal offers contractors an efficient and professional cutting solution for reinforced concrete, masonry, fire bricks and general construction materials.

EFFECTIVE LINE



GP-EFFECTIVE

GP-PRO blade provides an economical solution for cutting concrete and most construction materials. Available in a 1" or 20mm blade. Bore-hole and extra flash-cutting holes are available upon request.

MACHINE	APPLICATION	
Electric / Gas / HF/ Hydraulic	Reinforced Concrete and General construction materials	300 /40X2.8 X12 GP-EFF 1" / 20
		350 /40X3.1 X12 GP- EFF 1"/ 20
		400 /40X3.5 X12 GP- EFF 1"/ 20
		450 /40X3.7 X12 GP- EFF 1"



COMBI-EFFECTIVE

The COMBI-E blade is the best choice for cutting abrasive concrete blocks and general construction material. It has protection segments to prevent under cutting. Available in a 1" or 20mm blade. Bore-hole, extra flash-cutting holes are available upon request.

MACHINE	APPLICATION	
Electric / Gas / HF/ Hydraulic	Reinforced Concrete and General construction materials	300 /40X2.8 X12 COMBI-E 1" / 20
		350 /40X3.1 X12 COMBI-E 1"/ 20
		400 /40X3.5 X12 COMB -E 1"/ 20
		450 /40X3.7 X12 COMBI-E 1"



AS-EFFECTIVE

The AS-EFFECTIVE blade provides an economical and effective solution for cutting asphalt with light hand machines. It has protection segments to prevent under cutting. Available with a 1" or 20mm blade. Bore-hole blade.

MACHINE	APPLICATION	
Electric / Gas / HF/ Hydraulic	Reinforced Concrete and General construction materials	300 /40X2.8 X12 COMBI-E 1" / 20
		350 /40X3.1 X12 COMBI-E 1" / 20
		400 /40X3.5 X12 COMB -E 1" / 20
		450 /40X3.7 X12 COMBI-E 1"

STANDARD LINE



BETGAL

BETGAL is the ideal standard blade for cutting reinforced, cured concrete and hard bricks. It is available in a 1" or 20mm blade. Bore-hole, extra flash-cutting holes are available upon request.

MACHINE	APPLICATION	
Electric / Gas / HF/ Hydraulic	Reinforced Concrete and General construction materials	300 /40X2.8 X12 BETGAL 1" / 20
		350 /40X2.8 X12 BETGAL 1" / 20
		400 /40X2.8 X12 BETGAL 1" / 20



BETGAL-Di

BETGAL-Di is a premium blade for cutting reinforced, cured concrete and hard bricks. It features Array positioned diamonds. It is available in a 1" or 20mm blade. Bore-hole, extra flash-cutting holes are available upon request.

MACHINE	APPLICATION	
Electric / Gas / HF/ Hydraulic	Reinforced Concrete and General construction materials	300/40X2.8 X12 BETGAL-Di 1"/20
		350/40X2.8 X12 BETGAL-Di 1"/20
		400/40X2.8 X12 BETGAL-Di 1"/20

PROFESSIONAL LINE "GOLD EDGE"



GE- PRO

"Gold Edge" technology enables a smooth, fast cutting of reinforced concrete. All blades are available in a 1" or 20mm blade. Bore-holes, extra flash-cutting holes are available upon customer specifications.

MACHINE	APPLICATION	
Electric 1phase	R. Conc.	300 /20X2.8 X12 GE0L 1" / 20
	R. Conc.	350 /20X2.8 X12 GE0L 1" / 20
	R. Conc.	414 /20X2.8 X12 GE0L 1" / 20
Gas + HF 3phase	R. Conc.	300 /20X3.1 X12 GE1P 1" / 20
	R. Conc.	350 /20X3.1 X12 GE1P 1" / 20
	R. Conc.	414 /20X3.1 X12 GE1P 1" / 20
	Pre-cut for ring saw	400 /40X4.3 X10 GE1-PR 1"

HAND HELD RING SAW



This blade is designed for cutting reinforced concrete walls of up to 260 mm thick.

MACHINE	APPLICATION	
Machine	R. Conc.	365 /40X4.0 X10 RSE1
	R. Conc.	400 /40X4.3 X10 RSE1
	R. Conc.	365 /40X4.0 X10 RSE1-Di
	ABRASIVE CONC. / Conc. blocks	365 /40X4.3 X9 RSAC
	Each blade includes new drive wheel	
Drive wheel	400x4.3mm. Pre ring saw blade makes the ring work safer and easy.	

HIGH SPEED SAWS APPLICATION TABLE

- Recommended
- Occasional use
- Not recommended

	GENERAL PURPOSES	BRICKS	BLOCKS	CLINKER/GRES	ROOF TILES	REFRACTORY BRICKS	CONCRETE	REINFORCED CONCRETE	ASPHALT	ASPHALT OVER CONCRETE	SAND-STONE	BASALT	GRANITE	LIME STONE
GP-EFFECTIVE														
COMBI-EFFECTIVE														
AS-EFFECTIVE														
BETGAL														
BETGAL-Di														
GE- PRO														